

## Finland Aggregation Switch QSFP-DD



### Overview

The QSFP-DD Series offers up to 400Gbps transmission speeds and features 1-by-cages. 4 Tbps aggregate bandwidth in a single switch slot. QSFP-DD electrical interfaces will employ eight lanes that operate up to 25 Gbps NRZ modulation or 50 Gbps PAM4 modulation, providing. The HPE Networking Comware Switch Series 5965 is a high-performance, high-density top-of-rack (ToR) switch designed for enterprise data centers, cloud service providers, and telco environments. All pricing\* displayed is indicative; the reseller sets the final transactional price and may include. This guide provides a comprehensive overview of QSFP-DD compatible switches across major vendors, explains the fundamentals of backward compatibility at the port level, and outlines how to verify transceiver compatibility before procurement. The S9855 can be used in the core and aggregation. QSFP-DD (Quad Small Form-factor Pluggable Double Density) is an eight-lane pluggable optical module form factor designed to enable 400G and beyond while preserving a similar mechanical footprint to earlier QSFP modules. 8mm pitch and a dual-mating interface.



## Article Content

HPE Networking Comware Data Center Switch 64p QSFP-DD 400G

High-performance 25.6 Tbps, high-density access, aggregation or core switch designed for enterprise data centers, cloud service providers, and telcos. Supports a maximum of 64 400G QSFP-DD®

QSFP DD Connectors

Amphenol Communications Solutions' QSFP DD interconnect system is comprised of a 76-position, 0.8 mm pitch connector built for use in high-speed

QSFP-DD vs OSFP: Which 400G/800G Form Factor

QSFP-DD is ideal if you already run 100G/200G QSFP optics and want a smoother migration. OSFP is better if you are building fresh 400G/800G

What Is QSFP-DD? Specs, Architecture, and 400G Use

By adding a second row of high-speed electrical contacts, QSFP-DD delivers higher aggregate data rates while maintaining mechanical backward

QSFP Data Rate Explained: 40G to 800G Speed Guide

Understand QSFP data rate from 40G to 800G, including QSFP+, QSFP28, and QSFP-DD. Compare speeds, lane structure, and choose the right module.

200G QSFP-DD to 4×50G SFP56 Active Optical Breakout Cable

200G QSFP-DD to 4×50G SFP56 Active Optical Breakout Cable - 1 meter High-quality optical transceiver from EDGE Optical Solutions.

QSFP-DD Connectors | High Speed I/O | Amphenol

Amphenol's QSFP-DD interconnect system delivers high-speed performance with exceptional signal integrity. With 76 contacts per port, eight

QSFP-DD Compatible Switches: Complete 2025 Vendor Guide

Find which switches support QSFP-DD modules. Our 2025 guide covers Cisco, Arista, Juniper and NVIDIA platforms with backward compatibility tips.

The Ultimate Guide to QSFP Cable: Everything You

They include: QSFP+: This is the most common type that supports up to 40Gbps in data centers. QSFP28: It has a higher bandwidth than QSFP+,

QSFP-DD Product Family » Acacia

Powered by Greylock and Delphi DSP ASICs, and silicon photonic integrated circuits (PICs) for an optimized co-packaged design with 3D Siliconization. Supports an

## QSFP28 modules

QSFP-DD builds on the existing QSFP physical form-factor to provide 50Gb/s bandwidth per channel using 4-level Pulse Amplitude Modulation (PAM4) technology. The Double-Density module and

## QSFP-DD MSA Group Releases Preliminary QSFP-DD Hardware Specification

This can enable 36 QSFP-DD modules providing up to 14.4 Terabits per second (Tbps) aggregate capacity in a single switch slot to address rapid datacenter traffic growth.

## QSFP-DD Series

QSFP-DD can enable up to 14.4 Tbps aggregate bandwidth in a single switch slot. QSFP-DD electrical interfaces will employ eight lanes that operate up to 25 Gbps NRZ modulation or 50 Gbps PAM4

## Specification – QSFP-DD

July 11, 2019 – QSFP-DD Hardware Specification for QSFP DOUBLE DENSITY 8X PLUGGABLE TRANSCEIVER – Rev 5.0 May 8, 2019 – Common Management Interface

## QSFP-DD Connectors | High Speed I/O | Amphenol

Amphenol's QSFP-DD high-speed connector family features a scalable, high-performance interconnect platform with 76 contacts on a 0.8mm

## SFP vs. QSFP: Differences, Use Cases, and How to Choose

The core difference between SFP and QSFP is lane count: SFP is a single-lane form factor (1G–25G), while QSFP aggregates 4 (or more) lanes to reach 40G, 100G, 200G and 400G (QSFP-DD).

## QSFP-DD Optical Transceivers for High-Speed Connections

Systems designed with QSFP-DD ports are backwards compatible to support existing QSFP+, QSFP28, and QSFP56 modules. This provides flexibility for network designs and migrations to next-generation

## QSFP Double Density (DD) Interconnect System

Amphenol Commercial QSFP Double Density (DD) Interconnect System is backwards mating compatible with QSFP products. The connectors

## HPE Networking Comware Data Center Switch 64p QSFP-DD 400G

HPE Networking Comware Data Center Switch 64p QSFP-DD 400G 5965 delivers ultra-dense 400G switching for modern data centers. Scale high-performance networking now.

## The Ultimate Guide to QSFP28-DD: Features, Benefits, and Applications

Discover QSFP28-DD (200G/400G) modules: features, benefits, and applications in data centers, AI/HPC, and telecom. Compare and learn how to choose the right.

What is QSFP-DD Transceiver: A Beginner Guide

The MSA Group also announced that QSFP-DD could achieve a total bandwidth of up to 14.4 Tbps in a single switch slot, which meets the growing

SFP+, XFP, QSFP+, DAC Twinax Cable 10Gtek Transceivers Co., Ltd

DAC Twinax Cable Maker. CE, FCC, RoHS, ISO9001 Certified. Professional Manufacturer focusing on SFP+ Cables, QSFP+ Cables, MiniSAS Cables, QSFP Cables, XFP Cables, CX4 Infiniband Cables

Understanding QSFP Switches: A Comprehensive

Benefits of Using QSFP-DD for 40G and Beyond What Brands and Models of QSFP Switches are Leading the Market? Cisco: Features and

H3C S9855 DataCenter Switches-H3C

It connects to the S12500 series core switches through 400GE uplinks, and connects to 200GE/100GE servers in the downlink, providing high-bandwidth and large

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://sailingpoland.eu>

Email: [info@sailingpoland.eu](mailto:info@sailingpoland.eu)

Phone: +48 537 281 940

Address: ul. Puławska 12, 02-566 Warsaw, Poland

This document is for informational purposes only. Specifications subject to change without notice.

